

09/28/581 (Final)

L Number	Hits	Search Text	DB	Time stamp
1	1167	shar\$3 adj buffer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 17:52
2	2628	(shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:03
3	902	(shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:04
4	626	((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:09
5	516	((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:12
6	497	((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:21
7	370	370/236.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:13
8	547	370/351.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:13
9	1430	370/389.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:13
10	215	370/396.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:13
11	454	370/397.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:13
12	670	370/400.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:14
13	2066	370/401.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:14

14	973	370/412.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:14
15	1341	370/428.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:14
16	13	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/236.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:14
17	10	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/351.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:14
18	20	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/389.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:15
19	2	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/396.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:15
20	12	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/397.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:15
21	15	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/400.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:15
22	18	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/401.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:15
23	28	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/412.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:15
24	4	(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queu\$4 and node\$1 and sourc\$3 and destin\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/428.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:16

25	101	<p>(((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/236.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/351.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/389.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/396.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/397.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/400.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/401.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/412.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/428.ccls.)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:18
----	-----	--	---	------------------

27	47	<p>(((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/236.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/351.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/389.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/396.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/397.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/400.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/401.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/412.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/428.ccls.) and @AD<=19990528) and (return\$3 and congest\$3)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:24
----	----	--	---	------------------

28	38	<p>(((((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/236.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/351.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/389.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/396.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/397.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/400.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/401.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/412.ccls.) or (((shar\$3 and (buffer\$3 or memory or stor\$3) and queue\$4 and node\$1 and source\$3 and destinat\$3 and (information or data) and (link\$1 or path\$1) and capacit\$3) and (ATM or (asynchronous adj transfer adj mode))) and (dynamic\$4 and allocat\$3) and full and us\$3) and indicat\$3) and 370/428.ccls.) and @AD<=19990528) and (return\$3 and congest\$3)) and discard\$3</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/30 18:25
----	----	---	---	------------------